

# The CHAUVET DJ line of Intimidator moving head fixtures are a powerful lighting addition to any large scale event production. Depending on which fixture is in your arsenal, a dynamic combination of bright LEDs, gobo and prism effects, zoom capability and more are at your service to bring your large scale events to life.

# movingheads



### **Intimidator Spot 355Z IRC**

DMX Channels: 9 or 15

**Light Source:** 1 LED (white) 90 W (3.2 A), 50,000 hours

**Zoom Angle (motorized):** 10° to 17°

Gobo Wheel: 7 + open (5 metal + 2 glass), rotating, interchangeable, indexing, slot-n-lock, continuous scroll at variable speeds

**Colors:** 8 + white, split colors, continuous scroll at variable speeds **Illuminance:** (10°): 35,225 lux @ 2 m (17°): 11,800 lux @ 2 m

Weight: 27.4 lb (12.4 kg)

**Size:** 13.4 x 9.7 x 18 in (340 x 248 x 456 mm)



### **Intimidator Wash Zoom 450 IRC**

DMX Channels: 14 or 29

Light Source: 12 LEDs (quad-color RGBW) 15 W (3.7 A),

50,000 hours

**Zoom Angle (motorized):** 14° to 58°

**Illuminance:** (14°): 25,610 lux @ 2 m (58°): 1,960 lux @ 2 m Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)

**Weight:** 15.8 lb (7.2 kg)

**Size:** 7.6 x 10.9 x 14.3 in (194 x 277 x 363 mm)



### **Intimidator Spot 455Z IRC**

DMX Channels: 10 or 16

**Light Source:** 1 LED (white) 180 W (48.1 A), 50,000 hours

**Zoom Angle (motorized):** 13° to 28°

Gobo Wheel (1): 7 + open (6 metal + 1 glass), rotating, interchangeable, slot-n-lock, continuous scroll at variable speeds Gobo Wheel (2): 8 + open (8 stamped), continuous scroll at

variable speeds

**Colors:** 7 + white, split colors, continuous scroll at variable speeds Illuminance: (13°): 38,200 @ 2 m (28°): 8,720 lux @ 2 m Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)

Weight: 42.2 lb (19.2 kg)

**Size:** 16.6 x 11.9 x 20.5 in (423 x 303 x 520 mm)



### **Intimidator Trio**

DMX Channels: 15 or 30

Light Source: 6 LEDs (quad-color RGBW) 21 W (6.3 A),

50.000 hours


**Zoom Angle (motorized):** 7° to 53°

**Illuminance:** (7°): 16,000 lux @ 2 m (53°): 1,350 lux @ 2 m **Input Voltage:** 100 to 240 VAC, 50/60 Hz (auto-ranging)

Weight: 20 lb (9.2 kg)

**Size:** 10.9 x 10.9 x 15.2 in (278 x 278 x 386 mm)





# movingheads



### **Intimidator Hybrid 140SR**

DMX Channels: 13 or 19

**Light Source:** Osram Sirius HRI 140 W discharge lamp, 6,000 hours

Zoom Angle (motorized) (beam): 3° to 11°

**Zoom Angle (motorized) (spot):** 7° to 21°

**Colors:** 12 + white, split colors, continuous scroll at variable speeds

**Gobo wheel (1):** 9 + open, rotating, interchangeable, slot-n-lock, continuous scroll at variable speeds

Gobo wheel (2): 17 + open, metal, continuous scroll at variable speeds

Illuminance (3° beam): 382,000 lux @ 5 m Illuminance (7° spot): 104,700 lux @ 5 m

Illuminance (14° wash): 4,680 lux @ 5 m
Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)

**Weight:** 33.4 lb (15.2 kg)

**Size:** 12.6 x 8.6 x 20.2 in (322 x 220 x 513 mm)



### Intimidator Beam 140SR

**DMX Channels:** 8 or 14

**Light Source:** Osram Sirius HRI 140 W discharge lamp, 6,000 hours

**Beam Angle (beam):** 3°

Beam Angle (frost): 21°

**Colors:** 14 + white, split colors, continuous scroll at variable speeds

**Gobos:** 17 + open (all aluminum), fixed, continuous scroll at variable speeds

**Illuminance:** 381,500 lux @ 5 m, 37,900 lux @ 15 m **Input Voltage:** 100 to 240 VAC, 50/60 Hz (auto-ranging)

inht: 25 8 lb (11 7 kg)

**Weight:** 25.8 lb (11.7 kg)

**Size:** 12.7 x 8.6 x 16.5 in (322 x 220 x 420 mm)





### washfixtures



### SlimPAR Pro H USB

DMX Channels: 6, 7 or 12

Light Source: 12 (hex-color RGBAW + UV) 10 W (2.4 A),

50,000 hours Beam Angle: 24°

Illuminance: 3,218 lux @ 2 m

111111alice. 5,210 lux @ 2 lll

Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)

Weight: 7.2 lb (3.3 kg)

**Size:** 10 x 3.9 x 11.4 in (253 x 98 x 290 mm)



### SlimPAR Pro Q USB

DMX Channels: 4, 5 or 10

Light Source: 12 (quad-color RGBA) 6 W (2 A),

50,000 hours Beam Angle: 16°

Illuminance: 4,220 lux @ 2 m

Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)

Weight: 7.2 lb (3.3 kg)

**Size:** 10 x 3.9 x 11.4 in (253 x 98 x 290 mm)



### SlimPAR Pro W USB

DMX Channels: 3, 4 or 9

Light Source: 12 (tri-color CW,WW,A) 6 W (1.4 A),

50,000 hours

Beam Angle: 17°

Illuminance: 3,097 lux @ 2 m

Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)

Weight: 7 lb (3.2 kg)

**Size:** 10 x 3.9 x 11.4 in (253 x 98 x 290 mm)







### **LED Followspot 75ST**

**DMX Channels:** 3

Light Source: 1 LED (cool white) 75 W (18 A) 50,000 hours

Gobo Size: 23.7 mm outside, 21.3 mm image,

1 mm max thickness

**Zoom Angle:** 14° to 20°

Illuminance: (14°): 8,140 lux @ 2 m (20°): 4,650 lux @ 2 m

Input Voltage: 120/230 VAC, 50/60 Hz (switchable)

Weight: 13.3 lb (6 kg)

**Size:** 22 x 10.8 x 11.5 in (560 x 276 x 292 mm)



### **EVE E-100Z**

DMX Channels: 1 or 3

Light Source: 1 LED (warm white) 100 W (2.3 A), 50,000 hours

Gobo Size: M (66 mm outside, 48 mm image,

2 mm max thickness)

Zoom Angle: (manual): 14° to 30°

Illuminance: (14°): 15,100 lux @ 2 m (30°): 3,800 lux @ 2 m Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)

Weight: 12.6 lb (5.7 kg)

**Size:** 24 x 7.2 x 16.9 in (611 x 183 x 430 mm)



### **LED Followspot 120ST**

DMX Channels: 3

**Light Source:** 1 LED (cool white) 120 W (30.6A), 50,000 hours

Zoom Angle: (manual): 14° to 20°

Illuminance: (14°): 16,060 lux @ 2 m (20°): 7,900 lux @ 2 m Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)

Weight: 16.6 lb (7.5 kg)

**Size:** 22.9 x 11 x 13.4 in (582 x 279 x 341 mm)



# **Atmospheric Fluids** CHAUVET DJ has a variety of haze machines, fog machines and atmospheric effects with a full array of powerful production features to meet any event effect needs. High Performance Fog Fluid High Density Fog Fluid

## haze & fog fixtures



### **Hurricane Haze 4D**

DMX Channels: 2

**Tank Capacity:** 0.9 gal (3.75 l)

Input Voltage: 120 VAC, 60 Hz or 230 VAC, 50 Hz

Output: 4300 cfm Weight: 13.2 lb (6 kg)

**Size:** 11 x 15.5. x 9.6 in (277 x 396 x 245 mm)



### **Hurricane 1600**

DMX Channels: 1

Tank Capacity: 0.63 gal (2.4 l)

Input Voltage: 120 VAC, 60 Hz or 230 V, 50 Hz

Output: 25,000 cfm Weight: 13.2 lb (6 kg)

**Size:** 13.7 x 12.3 x 10 in (348 x 312 x 253 mm)



### **Hurricane 1800 Flex**

DMX Channels: 1

Tank Capacity: 1 gal (3.8 l)

Input Voltage: 120 VAC, 60 Hz or 230 VAC, 50 Hz

Output: 25,000 cfm
Weight: 19.0 lb (8.7 kg)

**Size:** 20.4 x 11.9 x 10.8 in (518 x 302 x 274 mm)



### haze & fog fixtures



### Nimbus

Tank Capacity: 4.5 gal (17 l)

Heat-up Time: (single element): 50 min Heat-up Time: (dual element): 30 min Reheat time: (single element): 30 min Reheat time: (dual element): 15 min

Average runtime: 6 min

Input Voltage: 120 VAC, 60 Hz or 230 VAC, 50 Hz

Dry ice capacity: 10 lb (4.5 kg)

Weight (full): 75 lb (34 kg) Size: 20 x 18 x 19 in (513 x 465 x 470 mm)



### Geyser P6

DMX Channels: 10

Tank Capacity: 0.6 gal (2.5 l)

Input Voltage: 120 VAC, 60 Hz or 230 VAC, 50 Hz

Output: 17,000 cfm

Light Source: 6 LEDs (penta-color RGBA+UV) 7 W (2.5 A),

50,000 hours

Weight: 19.2 lb (8.8 kg)

**Size:** 17.4 x 12.2 x 6.9 in (442 x 310 x 175 mm)

# CHAUVET DJ's battery-powered Freedom series fixtures are 100% wireless D-Fi transceiver technology. Bright, dynamic light with a variety of LED color combinations for unlimited color mixing anywhere you need it.

# battery-powered







### Freedom Par Hex-4

**DMX Channels:** 6, 8, or 12

Light Source: 4 LEDs (hex-color RGBAW+UV) 10 W (2 A),

50,000 hours Beam Angle: 23°

Illuminance: 1,372 lux @ 2 m

Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)

**Weight:** 6.2 lb (2.9 kg)

**Size:** 5.4 x 5.7 x 7.2 in (138 x 145 x 184 mm)

### Freedom Par Quad-4

**DMX Channels:** 4, 6 or 10

Light Source: 4 LEDs (quad-color RGBA) 5 W (2 A),

50,000 hours Beam Angle: 15°

Illuminance: 2,300 lux @ 2 m

Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)

**Weight:** 6.2 lb (2.8 kg)

**Size:** 5.4 x 5.7 x 7.2 in (138 x 145 x 184 mm)

### Freedom Stick

**DMX Channels:** 3, 8, 48 or 50

Light Source: 32 SMD LEDs (tri-color RGB) 0.2 W (50 mA),

50,000 hours

Coverage Angle: 360°

Maximum Run Time: (all on): up to 6.5 hours

**Weight:** 3.5 lb (1.6 kg)

**Size:** 6.3 x 6.3 x 61.0 in (161 x 161 x 1550 mm) with base



# outdoorfixtures



### SlimPANEL 24 IP

DMX Channels: , 4, 5 or 9

Light Source: 24 LEDs (tri-color RGB) 3 W, (1,050 mA),

50.000 hours Beam Angle: 20°

Illuminance: 5,850 lux @ 2 m

Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)

Weight: 13.8 lb (6.2 kg)

**Size:** 10.5 x 11.9 x 5.3 in (268 x 301 x 134 mm)

### Freedom Par Quad-4 IP

DMX Channels: 4, 6 or 10

Light Source: 4 LEDs (quad-color RGBA) 5 W, (2 A),

50.000 hours

Beam Angle: 15°

Illuminance: 2.464 lux @ 2 m

Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)

Weight: 8.0 lb (3.6 kg)

**Size:** 5.7 x 5.4 x 7.5 in (145 x 138 x 191 mm)

### **COLORband PiX IP**

**DMX Channels:** 3, 4, 6, 7, 9, 12, 18 or 36

Light Source: 12 LEDs (tri-color RGB) 3 W (1,050 mA),

50,000 hours

Beam Angle: 20°

Illuminance: 2,325 lux @ 2 m

Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)

Weight: 13.5 lb (6.1 kg)

**Size:** 39 x 3.9 x 6.8 in (993 x 100 x 173 mm)





**Global Headquarters** 

5200 NW 108th Ave., Sunrise, FL 33351 USA

### **Chauvet Europe**

Stokstraat 18, 9770 Kruishoutem, **Belgium** Brookhill Road Industrial Estate Pinxton, Nottingham NG16 6NT, **United Kingdom** 

### **Chauvet Mexico**

Av. de las Partidas 34, 3-D (entrada por Calle 2) Zona Industrial Lerma Lerma, **México**, C.P. 52000

### California Branch

7555 N. San Fernando Road Burbank, CA 91505 **USA**