



4BAR LT USB

4BAR LT USB is a complete wash lighting system with [D-Fi USB](#) compatibility for wireless Master/Slave or DMX control. Four fully adjustable round pods each with three 9 watt LEDs achieve total room or stage coverage. Create coordinated light shows in Master/Slave mode and easily control static colors and automated programs with the optional [IRC-6 remote](#). You can easily set up and tear down in seconds with the included tripod, carry bags and footswitch.



Highlights

- Enhanced, brighter version of the popular Mini 4BAR 2.0 with round pods and 9 watt LEDs
- D-Fi USB compatibility for wireless master/slave or DMX control
- Easily set up and tear down in seconds with the included tripod, carry bags and footswitch
- Create large, coordinated light shows with other 4BAR fixtures in master/slave mode
- Achieve total room or stage coverage with 4 individually adjustable heads
- Easily control static colors and automated programs with the optional IRC-6 remote
- Sound-activated programs dance to the beat of the music

Specifications

- DMX Channels: 3 or 15
- DMX Connectors: 3-pin XLR
- Light Source: 12 LED (tri-color RGB) 9 W (1.2 A), 50,000 hours life expectancy
- Strobe Rate: 0 to 22 Hz
- PWM Frequency: 1.22 kHz
- Beam Angle: 16°
- Field Angle: 24°
- Fits Tripod Size: 1 in (25.4 mm)
- Illuminance: 2,053 lux @ 2 m
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Power and Current: 52 W, 0.8 A @ 120 V, 60 Hz
51 W, 0.4 A @ 230 V, 50 Hz
- Weight: 10.8 lb (4.9 kg)
- Size: 36.1 x 3.7 x 10.8 in (918.1 x 95 x 274.3 mm)
- Approvals: CE
- Stand Height: 50-83 in (127-211 cm)
- Optional Controllers: IRC - 6

What's Included

- Power cord
- Carrying bags
- Tripod
- Footswitch
- Warranty card
- Quick Reference Guide