



4Bar USB

4Bar USB is a complete wash lighting solution designed for mobile entertainers. The ultra-convenience of the included tripod, wireless footswitch, and carry bags allow you to set up and tear down in minutes. But the ease and versatility of the 4Bar USB go to higher levels with the addition of D-Fi USB compatibility for wireless master/slave and DMX control. Achieve total room or stage coverage with 4Bar USB's four individually adjustable heads--create larger, synchronized light shows with other 4BAR fixtures in master/slave mode. Generate shows with easy-to-access, built-in, automated programs, or easily control static colors and automated programs with the optional [IRC-6](#) remote.



Highlights

- Complete wash lighting solution designed for mobile entertainers
- Achieve total room or stage coverage with 4 individually adjustable heads
- D-Fi USB compatibility for wireless master/slave or DMX control
- Easily set-up and tear down in minutes using the included tripod, wireless footswitch and carry bags
- Increase mounting options by safely mounting to truss using the built-in bolts
- Create large, coordinated light shows with other 4BAR fixtures in master/slave mode
- Sound-activated programs dance to the beat of the music
- Easily control static colors and automated programs with the optional [IRC-6](#) remote
- Generate a synchronized show in master/slave mode with easy-to-access, built-in automated programs

Specifications

- DMX Channels: 3 or 15
- DMX Connectors: 3-pin XLR
- Light Source: 432 LEDs (144 red, 144 green, 144 blue) 0.25 W, (20 mA), 100,000 hours life expectancy
- Strobe Rate: 0 to 19.9 Hz
- PWM Frequency: 1.31kHz
- Beam Angle: 17°
- Field Angle: 24°
- Fits Tripod Size: 1.37 in (35 mm)
- Illuminance: 786 lux @ 2 m (per pod)
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Power and Current: 29 W, 0.4 A @ 120 V, 60 Hz 27 W, 0.2 A @ 230 V, 50 Hz
- Weight: 11 lb (5.0 kg)
1.2 lb (0.6 kg)
- Size: 43.3 x 2 x 10.5 in (1,100 x 50 x 267 mm)
(Controller): 12.4 x 5.2 x 1.5 in (315 x 132 x 38 mm)
- Approvals: CE
- Optional Controllers: IRC-6, D-Fi USB
- Stand Height: 7 ft 4 in (2.2 m)

What's Included

- 4Bar USB
- Power cord
- Carrying bag
- Tripod
- Footswitch
- Hanging bracket