



## COLORband PiX Mini

Great for use as a powerful wash with the additional eye candy of pixel mapping effects, COLORband PiX Mini is a must-have fixture for mobile DJs or club installers looking for high-impact visuals on a budget. This powerful, compact version of the [COLORband PiX](#) also features full pixel mapping capability. Six individually controllable tri-color LEDs project custom animations and video effects when multiple units are used together. COLORband PiX Mini includes multiple DMX personalities and pre-built programs for design flexibility at any event while on-board 3- and 5-pin DMX connectors increase control options.



# Highlights

- Half-size LED strip light functions as a pixel mapping effect, blinder or wall-washer
- Create amazing animations and video effects with individual LED control
- Convenient access to multiple pre-built programs with or without DMX
- Easily generate complex looks with ShowXpress™ Pixels
- Increase flexibility with onboard 3- and 5-pin XLR DMX connectors
- Includes multiple DMX personalities for a wide variety of programming styles
- Nearly eliminate multicolor shadows with high-power, tri-color LEDs
- Save time running cables and extension cords by power linking multiple units
- Achieve flicker-free video operation with high-frequency LED dimming
- Create large, coordinated light shows with COLORband™ PiX, COLORband™ PiX IP, and COLORband™ PiX-M fixtures in Master/Slave mode
- Ideal for quiet applications due to silent operation and no moving parts
- Sound-activated programs dance to the beat of the music
- Easily transports in the optional CHS-60 VIP Gear Bag
- Combine multiple units together using the CBB-6 mounting bracket

## Specifications

- DMX Channels: 3, 4, 6, 7, 9, or 18
- DMX Connectors: 3- and 5-pin XLR
- Light Source: 6 LEDs (tri-color RGB) 3 W (1,050 mA), 50,000 hours life expectancy
- Strobe Rate: 0 to 30 Hz
- PWM Frequency: 1,200 Hz
- Beam Angle: 20°
- Field Angle: 34°
- Illuminance: 1,300 lux @ 2 m
- Power Linking: 20 units @ 120 V; 35 units @ 230 V
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Power and Current: 47 W, 0.4 A @ 120 V, 60 Hz 51 W, 0.2 A @ 230 V, 50 Hz
- Weight: 4.9 lb (2.2 kg)
- Size: 21.8 x 2.5 x 6.1 in (554 x 64 x 154 mm)
- Approvals: CE, MET

## What's Included

- Power cord
- 2 L-Brackets
- Warranty card
- Quick Reference Guide