



COLORband PiX

Great for use as a powerful wash with the additional eye candy of pixel mapping effects, COLORband PiX is a must-have fixture for mobile DJs or club installers looking for high-impact visuals on a budget. Full-size, linear pixel mapping fixture easily generates video effects and animations when multiple units are used together. Individual control over 12 tri-color LEDs allows for custom looks at any event and impressive, pre-built programs are accessible with or without DMX. Multiple DMX personalities and onboard 3- and 5-pin DMX connectors increase control options.



Highlights

- Full-size LED strip light functions as a pixel mapping effect, blinder or wall washer
- Create amazing animations and video effects with individual LED control
- Convenient access to multiple pre-built programs with or without DMX
- Easily generate complex shows with ShowXpress™ Pixels
- Increase flexibility with onboard 3- and 5-pin XLR DMX connectors
- Includes multiple DMX personalities for a wide variety of programming styles
- Nearly eliminate multicolor shadows with high-power, tri-color LEDs
- Achieve flicker-free video operation with high-frequency LED dimming
- Save time running cables and power cords by power linking multiple units
- Create large, coordinated light shows with COLORband™ PiX IP, COLORband™ PiX Mini, and COLORband™ PiX-M fixtures in Master/Slave mode
- Ideal for quiet applications due to silent operation and no moving parts
- Sound-activated programs dance to the beat of the music
- Easily transports in the optional CHS-60 VIP Gear Bag
- Combine multiple units together using the CBB-6 mounting bracket



Mount multiple units using the CBB-6 Brackets

Specifications

- DMX Channels: 3, 4, 6, 7, 9, 12, 18 or 36
- DMX Connectors: 3- and 5-pin XLR
- Light Source: 12 LEDs (tri-color RGB) 3 W (1,050 mA), 50,000 hours life expectancy
- Strobe Rate: 0 to 30 Hz
- PWM Frequency: 1,200 Hz
- Beam Angle: 20°
- Field Angle: 34°
- Illuminance: 2,325 lux @ 2 m
- Power Linking: 11 units @ 120 V; 20 units @ 230 V
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Power and Current: 82 W, 0.7 A @ 120 V, 60 Hz 86 W, 0.4 A @ 230 V, 50 Hz
- Weight: 8.9 lb (4 kg)
- Size: 41.6 x 2.5 x 6.1 in (1,057 x 64 x 154 mm)
- Approvals: CE, MET

What's Included

- Power cord
- 2 L-brackets
- Warranty card
- Quick Reference Guide