




# COLORband T3BT

COLORband T3BT is a full-size linear wash light with built-in Bluetooth® wireless technology. With the BTair app (patent pending), COLORband T3BT can be controlled remotely from any smart phone or tablet without any additional hardware. Download [BTair](#) for free from your favorite online app store. COLORband T3BT has 12 tri-colored (RGB) LEDs and 3 zones of control to create amazing automated effects. Access built-in automated programs via optional [IRC-6](#) remote, Master/Slave or DMX. Compatible with [BTair](#).



The Bluetooth® word mark and logos are registered trademarks owned by the Bluetooth SIG, Inc. and any use of such marks by Chauvet & Sons, LLC is under license. Other trademarks and trade names are those of their respective owners.

# Highlights

- Full-size linear wash light with built-in Bluetooth® wireless technology
- Control directly from a smart phone or tablet without any additional hardware
- 3 zones of control create amazing automated effects
- Easily set static colors or automated programs with the optional [IRC-6](#) remote
- Save time running cables and extension cords by power linking multiple units
- Access built-in automated programs via [IRC-6](#) remote, Master/Slave or DMX
- Fits best in the [CHS-60](#) VIP Gear Bag
- Patent Pending

## Specifications

- DMX Channels: 3, 5 or 13
- DMX Connectors: 3-pin XLR
- Max Unobstructed Distance: 150 ft (45.7 m)
- Light Source: 12 LEDs (tri-color RGB), 2.5 W (1 A)
- Strobe Rate: 0 to 25 Hz
- PWM Frequency: 7.8 kHz
- Beam Angle: 42°
- Operating Frequency: 2.4GHz
- Coverage Angle: 70°
- Illuminance: 548 lux @ 2 m
- Power Linking: 15 units @ 120 V; 28 units @ 230 V
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Power and Current: 37 W, 0.5 A @ 120 V, 60 Hz  
36 W, 0.2 A @ 230 V, 50 Hz
- Weight: 6.6 lb (3 kg)
- Size: 39.3 x 3.8 x 5.5 in (1000 x 98 x 140 mm)
- Approvals: CE, FCC
- Optional Controllers: IRC-6
- Bluetooth® Version: 4.2

## What's Included

- Colorband T3BT
- Power cord
- Quick Reference Guide