



COLORbar SMD

Professional and rugged SMD LED strip light designed for the mobile entertainer, permanent installation or lighting professional. Eight individual sections of RGB control offers great pixel mapping capabilities and road-ready SMD LEDs offer a nice blend of intensity and toughness. Use [ShowXpress Pixels](#) to easily create dynamic chases and animations with a matrix of multiple units.



Highlights

- Professional and rugged tri-color SMD LED strip light designed for the mobile entertainers, lighting professionals or permanent installations
- Achieve great pixel-mapping capabilities with sectional control
- Bright and road-ready tri-color SMD LEDs offer a nice blend of intensity and toughness
- Easily generate complex looks with ShowXpress™ Pixels
- Increase flexibility with on-board 3- and 5-pin XLR DMX connectors
- Ideal for use in the most sound-sensitive environment due to a radiant cooling design
- Secure the power cord with the locking IEC power input (US/UK version only)
- Sound-activated programs dance to the beat of the music

Specifications

- DMX Channels: 3, 7 or 24
- DMX Connectors: 3- and 5-pin XLR
- Light Source: 648 LEDs (tri-color RGB) SMD (60 mA), 50,000 hours life expectancy
- Strobe Rate: 0 to 30 Hz
- Beam Angle: 67°
- Field Angle: 110°
- Illuminance: 328 lux @ 2 m
- Power Linking: 3 units @ 120 V; 6 units @ 230 V
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Power and Current: 300 W, 2.3 A @ 120 V, 60 Hz 292 W, 1.3 A @ 230 V, 50 Hz
- Weight: 12 lb (5.4 kg)
- Size: 31.8 x 4.7 x 7 in (803 x 121 x 178 mm)
- Approvals: CE

What's Included