



D-Fi 2.4GHz

D-Fi 2.4GHz is the latest addition to the D-Fi family of easy to use, wireless DMX units which can function as either a transmitter or receiver. For more stable communication between units, this version operates on a 2.4 GHz frequency range and includes an "auto" function which automatically finds the best frequency and syncs the units effortlessly.



Highlights

- Wireless DMX transmitter and receiver housed in a single unit
- Wirelessly synchronize multiple D-Fi™ 2.4GHz units with the press of a button
- Synchronize an unlimited number of receivers with 1 transmitter
- Fully FCC compliant
- Find the clearest channel available using the auto search function
- Each transmitter supports 1 universe of DMX
- Up to a 200 m (656 ft) range (clear line of sight)
- Increase flexibility with 3- and 5-pin XLR DMX capability
- Mounting options include teardrop holes for wall mounting and an M12 threaded hole for a clamp
- Capable of worldwide use with the built-in, 120 to 240 V auto-switching transformer

Specifications

- DMX Connectors: 3- and 5-pin XLR
- Max Unobstructed Distance: 656 ft (200 m)
- Operating Frequency: 2.433 to 2.481 GHz
- Input Voltage: 9 VDC, 500 mA (external power supply: 115 VAC, 60 Hz)
- Weight: 0.8 lb (0.4 kg)
- Dimensions: 5.8 x 6.1 x 1.6 in (152 x 156 x 40 mm)
- Approvals: CE, FCC
- RF Output: 18.5 dBm
- Antenna Connection: RP-SMA