



## Freedom Par Quad-5

The Freedom Par Quad-5 pairs the familiar Freedom Par form with high-power quad-color LEDs. Five, 5-watt RGBA quad-color LEDs produce vivid, saturated colors and nearly eliminate multicolored shadows. A completely wireless DMX control option is available and made easy using built-in battery power and an integrated D-Fi 2.4 GHz system. For even easier operation when wireless DMX isn't needed, point-and-shoot operation is available using the IRC (infrared remote control).



# Highlights

- 100% TRUE wireless, battery-operated, quad-color LED Par with built-in D-Fi™ 2.4 GHz wireless control
- Create rich colors and pastels with amber LEDs
- Master/slave wirelessly using D-Fi 2.4 GHz with other Freedom™ fixtures for a coordinated light show
- Send and receive wireless DMX signals using the built-in D-Fi™ 2.4 GHz transceiver
- Create coordinated light shows by linking other COLORstrip™, COLORstrip™ Mini and Freedom™ fixtures in master/slave mode using D-Fi™ 2.4 GHz technology
- Extended run time of up to 20 hours with the rechargeable, lithium-ion battery
- Achieve precise color mixing with 5 (5 W) quad-color LEDs
- Extend the battery's lifespan with built-in discharge protection
- Shine light where it is needed using the adjustable, tilting head
- Access built-in, eye-catching automated and sound-activated programs via wireless DMX, IRC remote or master/slave mode
- IRC remote provides wireless non-DMX control
- Compact design easily fits inside sticks of TRUSST®
- Easily charge, store and transport your fixtures from gig to gig in the Freedom™ Charge P

## Specifications

- DMX Channels: 4 or 5
- DMX Connectors: 3-pin XLR
- Light Source: 5 LEDs (quad-color RGBA) 5 W (1.4 A), 50,000 hours life expectancy
- Beam Angle: 24°
- Field Angle: 48°
- Maximum Run Time: (all on): up to 8 hours (single color): up to 20 hours
- Recharge Time: 6 hours
- Operating Frequency: 2.433 to 2.481 GHz
- Illuminance: 605 lux @ 2 m
- Power Linking: 12 units @ 120 V, 20 units @ 230 V
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Power and Current: 110 W, 0.9 A @ 120 V, 60 Hz 116 W, 0.5 A @ 230 V, 50 Hz
- Weight: 9.9 lb (4.5 kg)
- Size: 9.3 x 8.5 x 8.8 in (236 x 215 x 223 mm)
- Approvals: CE, FCC
- Included Controllers: IRC