



GigBAR LT

GigBAR LT is the ultimate pack-n-go lighting system featuring 2 Moonflowers, 2 LED Washlights, 4 Strobes, all mounted on a single bar plus a stand, FREE carry bag, [IRC-6](#) remote and a wireless footswitch. The four high-power LED strobe lights create exciting chase and slow motion effects, and the four individually adjustable and interchangeable heads provide large room or stage coverage. GigBAR LT has phenomenal built-in automated and sound-activated programs that incorporate all 8 lights into one complete show. Control is easy from the display, included IRC-6 remote, wired footswitch or DMX. Master/slave multiple units. Save time running cables and extension cords by power linking multiple units.



Highlights

- Three great effects including a pair of moonflowers, a pair of LED pars, and 4 strobes all mounted on one bar as one complete system
- Cover any room or stage with 4 individually adjustable and interchangeable heads
- Get in and get out quickly with the included tripod, wired footswitch and FREE carry bags
- Includes 4 high-power LED strobe lights that create exciting chase and slow motion effects
- Phenomenal built-in automated and sound-activated programs that include all 3 effects to make one complete show
- Easily control from the display, included IRC-6 remote, wired foot switch or DMX to take your gig to a higher level
- Master/slave multiple units under the control of a single included IRC-6 or wired foot switch
- Save time running cables and extension cords by power linking multiple units

Specifications

- DMX Channels: 3, 6 or 17
- DMX Connectors: 3-pin XLR
- Light Source: (Pars): 6 LEDs (Tri-color RGB) 2.6 W (1.4 A), 50,000 hours life expectancy
(LX5): 2 LEDs (Tri-color RGB) 5.4 W (1.8 A), 50,000 hours life expectancy
(Strobe Bar): 4 LEDs (White) 1.2 W (356 mA), 50,000 hours life expectancy
- Strobe Rate: (Pars): 0 to 8.2 Hz
(LX5): 0 to 8.2 Hz
(Strobe Bar): 0 to 13.2 Hz
- Beam Angle: (Pars): 13°
- Illuminance: (Pars): 1609 lux @ 2 m (per pod)
- Power Linking: 11 units @ 120 V; 20 units @ 230 V
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Power and Current: 47 W, .7 A @ 120 V, 60 Hz
43 W, .4 A @ 230 V, 50 Hz
- Weight: 12 lb (5.5 kg)
- Size: 41.1 x 12.9 x 5.3 in (1045 x 329.5 x 135 mm)
- Approvals: CE

What's Included

- Power cord
- FREE Carrying bags
- Tripod
- IRC-6 remote
- Footswitch
- Warranty card