



# GigBAR Move

Ultimate gig lighting convenience, versatility and power is packed into GigBAR Move, a 5-in-1 lighting system that includes moving heads, derbies, washes, a laser and strobe effect pre-mounted on a single bar. That means a complete light show is available from this single system that includes a tripod, wireless footswitch and FREE carry bags to ensure quick setup. The moving heads have separate color and gobo wheels to enhance creative programming possibilities, plus built-in Totem Mode to keep the moving heads focused on the dance floor. Individual control of each effect ensures your show looks the way you need it to and events can be energized with dynamic effects like built-in UV LEDs to illuminate florescent objects and make them pop. Controlling GigBAR Move is also easy. Stand-alone control, DMX, wireless [IRC-6 remote](#) or wireless footswitch options are all on board. GigBAR Move is also compatible with [GigBAR 2](#) in master/slave mode for huge coverage and dynamic light shows.



# Highlights

- 5-in-1 lighting system that includes moving heads, derbies, washes, a laser and strobe effect pre-mounted on a single bar
- Separate color and gobo wheels in moving heads allow for creative programming
- Totem Mode keeps the moving heads focused on the dance floor
- Easy navigation and access to all functions, directly from the full-color LCD display
- System includes a tripod, wireless footswitch and FREE carry bags to ensure quick setup
- Built-in UV LEDs illuminate florescent objects and make them pop
- Individual control of each effect ensures your show looks the way you need it to
- Easy control via stand-alone, DMX, wireless IRC-6 remote or wireless footswitch
- Compatible with the GigBAR 2 in master/slave for huge coverage and dynamic light shows

## Specifications

- DMX Channels: 3, 17 or 35
- DMX Connectors: 3-pin XLR
- Pan and Tilt: 540°/180°
- Colors: (moving head): 7 + white  
(moving head): 7 + open
- Light Source: (pars): 6 LEDs (quad-color RGB + UV) 3.5 W (1 A), 50,000 hours life expectancy  
(strobe): 4 LEDs (dual-color white + UV) 5 W (1.5 A), 50,000 hours life expectancy  
(derby): 6 LEDs (2 red, 2 green, 2 blue) 5 W (1.6 A), 50,000 hours life expectancy  
(moving head): 1 LED (cool white) 10 W (2.3 A), 50,000 hours life expectancy  
(laser): 650nm/100 mW (red) laser diode, 532 nm/30 mW (green) laser diode
- Strobe Rate: (all effects): 0 to 20 Hz
- Beam Angle: (moving head): 11°  
(pars): 19°  
(strobe): 8°
- Field Angle: (pars): 30°  
(strobe): 18°
- Coverage Angle: (derby): 131°  
(laser): 93°
- Fits Tripod Size: 1.5 in (37.4 mm)
- Illuminance: (pars): 1,205 lux @ 2 m (per par)  
(moving head): 1056 lux @ 2 m (per head)  
(strobe): 86 lux @ 2 m (per zone)
- Power Linking: 7 units @ 120 V; 12 units @ 230 V
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Power and Current: 81 W, 1.1 A @ 120 V, 60 Hz  
79 W, 0.6 A @ 230 V, 50 Hz
- Weight: 23.4 lb (10.7 kg)
- Size: 43 x 5.7 x 17.7 in (1100 x 144 x 449 mm)
- Approvals: CE, FDA, FCC
- Stand Height: 4.8 ft to 8.3 ft (1.5 to 2.5 m)
- Footswitch Operating Frequency: 433 MHz
- Footswitch Max Unobstructed Distance: 100 ft (30.5 m)
- Footswitch Battery: 9 V alkaline
- Included Controllers: IRC-6, wireless footswitch

## What's Included

- GigBAR MOVE
- Power cord
- IRC-6 remote
- Carrying bag
- Tripod
- Tripod carry bag
- Footswitch
- User Manual