



Hurricane Bubble Haze X2 Q6

Patent Pending

Thrill special event guests with Hurricane Bubble Haze X2 Q6, a multi-purpose atmospheric machine that adds new levels of visual excitement and fun to any gathering, presentation or production. The unit features six quad-colored (RGB + UV) LEDs that illuminate bubbles, haze or haze-filled bubbles that billow from twin blowers to double the effect. Two variable-speed loft fans push bubbles up into the air and Always-Ready technology means the effect can run continuously to keep the party going. Hurricane Bubble Haze X2 Q6 has a gravity-fed bubble reservoir that recirculates unused bubble fluid reducing fluid consumption. A built-in cleaning function increases machine longevity and reduces clogs.



Highlights

- Multi-purpose atmospheric machine emits illuminated bubbles, haze or haze-filled bubbles
- Always ready and can run continuously to keep the party going
- Gravity-fed bubble reservoir recirculates unused bubble fluid reducing fluid consumption
- Variable-speed loft fan pushes bubbles up into the air
- Built-in cleaning function increases machine longevity and reduces clogs
- Patent pending

Specifications

- DMX Channels: 12
- DMX Connectors: 3- and 5-pin XLR
- Light Source: 6 LEDs (quad-color RGB + UV) 4 W, (900 mA), 50,000 hours life expectancy.
- Heat-Up Time: 3 min
- Input Voltage: 120 VAC, 60 Hz or 230 VAC, 50 Hz
- Power and Current: 650 W, 4.5 A @ 120 V, 60 Hz
650 W, 2.3 A @ 230 V, 50 Hz
- Weight: 34.6 lb (15.8 kg)
- Size: 16.8 x 12.28 x 15.51 in (429 x 317 x 459 mm)
- Approvals: CE, RoHS
- Tank Capacity: (haze): 0.3 gal (1.3 l)
(bubble): 0.9 gal (3.5 l)
- Output: 4500 cfm
- Fluid Consumption (haze): 60 ml/min
- Fluid Consumption (bubble): 18.5 ml/min
- Compatible Fluids (haze): HDF, HFG
- Compatible Fluids (bubble): BJG
- Bracket Mounting Hole: M12

What's Included

- Hurricane Bubble Haze X2 Q6
- Omega bracket
- WRC
- Power cord
- Quick Reference Guide