



Intimidator Barrel 305 IRC

The Intimidator Barrel 305 IRC is a compact LED barrel scanner with a 60 W light source that shines through any environment. Its crisp 3-facet prism allows you to split the beam and cover larger areas. Link up to 4 fixtures to create eye-catching synchronized shows in automated, sound or Master/Slave modes and save time running cables and extension cords by power linking multiple units. Minimize programming time using built-in movement macros and move-in-black features and achieve flicker-free video operation with high-frequency LED dimming. Controlling the Intimidator Barrel 305 IRC is easy with the convenient, wireless non-DMX control using the optional [IRC-6](#) remote.



Highlights

- Compact LED barrel scanner with a 60 W light source that shines through any environment
- Split the beam and cover larger areas with the crisp, 3-facet prism
- Convenient, wireless non-DMX control using the optional IRC-6 remote
- Link up to 4 fixtures to create eye-catching synchronized shows in Automated, Sound or Master/Slave modes
- Works in master/slave with the Intimidator™ Scan 305 IRC
- Minimize programming time using built-in movement macros and move-in-black features
- Achieve flicker-free video operation with high-frequency LED dimming
- Save time running cables and extension cords by power linking multiple units
- Fits best in the CHS-40 VIP Gear Bag

Specifications

- DMX Channels: 7 or 11
- DMX Connectors: 3-pin XLR
- Pan and Tilt: 180°/360° (continuous)
- Colors: 8 + white, split colors, continuous scroll at variable speeds
- Gobos: 7 + open (5 metal + 2 glass), rotating, interchangeable, slot-n-lock, continuous scroll at variable speeds
- Light Source: 1 (white) 60 W (2.3 A), 50,000 hours life expectancy
- Strobe Rate: 0 to 35 Hz
- PWM Frequency: 600 Hz
- Beam Angle: 12°
- Illuminance: 1,630 lux @ 2 m (per beam)
- Power Linking: 5 units @ 120 V; 10 units @ 230 V
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Power and Current: 104 W, 1.5 A @ 120 V, 60 Hz 102 W, 0.8 A @ 230 V, 50 Hz
- Gobo Size: 23.9mm outside, 20.5 mm image, 1 mm max thickness
- Weight: 10.4 lb (4.8 kg)
- Size: 6.7 x 10 x 18.9 in (171 x 255 x 480 mm)
- Approvals: CE
- Series: Intimidator
- Primary Use: DJ/Mobile, Bands/Stages, Events, Clubs, Party
- Optional Controllers: IRC-6

What's Included

- Power cord
- Hanging bracket with mounting hardware
- Warranty card
- Quick Reference Guide