



Intimidator FX 350

The Intimidator FX 350 is a powerful, feature-packed, moving head fixture. Fitted with a 75 W LED combined with superior optics, it allows you to create dynamic shows using 24 built-in, easy-to-recall light patterns, and spectacular aerial light shows with the fast pan and tilt speeds. A rotating 3-facet prism splits the beam for maximum effects and coverage.



Highlights

- Feature-packed, moving head fixture fitted with a 75 W LED
- Create dynamic shows using 24 built-in, easy to recall light patterns that replace the need for gobos
- Split the ray of light and cover larger areas with the rotating 3-facet prism
- Increase effects with electronic dimming and strobe features
- Create spectacular aerial light shows with the fast pan and tilt speeds
- Minimize programming time with built-in movement macros and move-in-black features
- Save time running cables and extension cords by power linking multiple units (US/UK only)
- DMX, sound, auto, master/slave operating modes
- Project light where you want it with user-selectable pan and tilt ranges
- Fits best in the CHS-50 VIP Gear Bag

Specifications

- DMX Channels: 7 or 15
- DMX Connectors: 3-pin XLR
- Pan and Tilt: 540°/270°
- Pan and Tilt Ranges: 540°, 360°, 180° pan/270°, 180°, 90° tilt
- Colors: 8 + white, split colors, continuous scroll at variable speeds
- Light Source: 1 LED (white) 75 W (17 A), 50,000 hours life expectancy
- Strobe Rate: 0 to 20 Hz
- PWM Frequency: 1.01 Hz
- Beam Angle: 8°
- Illuminance: 18,830 lux @ 2 m
- Power Linking: 3 units @ 120 V; 7 units @ 230 V
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Power and Current: 239 W, 1 A @ 120 V, 60 Hz 251 W, 1 A @ 230 V, 50 Hz
- Weight: 24.6 lb (11.2 kg)
- Dimensions: 13.4 x 9.8 x 15.4 in (340 x 248 x 392 mm)
- Approvals: CE
- Patterns: 24, rotating, variable speeds

What's Included