



Intimidator Spot 100 IRC

Perfect for mobile applications, Intimidator Spot 100 IRC is a lightweight, remote controllable LED moving head. It is compatible with the optional IRC remote for wireless, non-DMX operation and control. Separate color and gobo wheels maximize lighting options, while built-in, rapid-movement macros minimize programming time. Generate a synchronized show in master/slave mode using built in, easy-to-access automated programs or DMX control and enhance any light show with super smooth dimming and adjustable strobe speed. Intimidator Spot 100 IRC fits best in the optional [CHS-40 VIP Gear Bag](#) for secure and convenient transportation.



Highlights

- Extremely compact and lightweight LED moving head perfect for mobile applications
- Works with the IRC for wireless control and triggering
- Minimize programming time with built-in rapid movement macros
- Maximize lighting options with separate color and gobo wheels
- Generate a synchronized show in master/slave mode with easy-to-access, built-in automated programs or DMX control
- Wireless, non-DMX operation is available with the optional IRC remote
- Enhance any light show with super smooth dimming and adjustable strobe speed
- Fits best in the CHS-40 VIP Gear Bag

Specifications

- DMX Channels: 6 or 11
- DMX Connectors: 3-pin XLR
- Pan and Tilt: 540°/270°
- Pan and Tilt Ranges: 180°, 360°, 540° pan/90°, 180°, 270° tilt
- Colors: 7 + white, continuous scroll at variable speeds
- Gobos: 7 + open, continuous scroll at variable speeds
- Light Source: 1 LED (white) 10 W (3 A), 50,000 hours life expectancy
- Strobe Rate: 0 to 20 Hz
- PWM Frequency: 7.8 kHz
- Beam Angle: 13°
- Illuminance: 3,280 lux @ 2 m
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Power and Current: 48 W, 0.4 A @ 120 V, 60 Hz 51 W, 0.2 A @ 230 V, 50 Hz
- Weight: 6.6 lb (3 kg)
- Dimensions: 7.8 x 5.8 x 11.6 in (198 x 148 x 295 mm)
- Approvals: CE
- Series: Intimidator
- Primary Use: DJ/Mobile, Bands/Stages, Events, Party

What's Included

- Power cord
- Hanging bracket with mounting hardware
- Quick Reference Guide
- Warranty card