



Intimidator Spot 255 IRC

Intimidator Spot 255 IRC is a feature-rich moving head spot fitted with a 60 W LED. This power-packed member of our Intimidator family enhances any event and brings out the best in any application. Using it generates a synchronized light show in Master/Slave mode with built-in automated programs. Other features include built-in effect macros and move-in-black capabilities, selectable pan and tilt ranges, electronic dimmer, split beam with 3-facet prism, easy-access gobo door for quick gobo changes, and sound activated programs. Control this effect wirelessly with the optional [IRC-6](#) remote. The Intimidator Spot 255 IRC fits best in the [CHS-X5X VIP gear bag](#). Available in black or white.



Highlights

- Feature-packed moving head spot fitted with a 60 W LED to enhance any event or application
- Beams always remain on the dance floor using the built-in, innovative Totem mode
- Set, save, and recall 1 scene manually directly from the full-color LCD display
- Link up to 4 fixtures to create eye-catching, synchronized shows in Automated or Sound mode
- Simple navigation and a full text readout with the full-color LCD screen
- Convenient, wireless non-DMX control using the optional IRC-6 remote
- Split the beam and cover a larger area with the 3-facet prism
- Suitable for every event with either black or white housing
- Quickly and easily change gobos using the easy-access gobo door
- Project light where you want it with user-selectable pan and tilt ranges
- Minimize programming time with built-in effect macros and move-in-black feature
- Save time running cables by power linking multiple units
- Fits best in the CHS-X5X VIP Gear Bag

Specifications

- DMX Channels: 8 or 13
- DMX Connectors: 3-pin XLR
- Pan and Tilt: 540°/270°
- Pan and Tilt Ranges: 540°, 360°, 180° pan/270°, 180°, 90° tilt
- Colors: 8 + white, split colors, continuous scroll at variable speeds
- Gobos: 7 + open, rotating, interchangeable, slot-n-lock, continuous scroll at variable speeds
- Light Source: 1 LED (white) 60 W (2.3 A), 50,000 hours life expectancy
- Strobe Rate: 0 to 20 Hz
- Beam Angle: 15°
- Illuminance: 10,420 lux @ 2 m
1,600 lux @ 5 m
- Power Linking: 6 units @ 120 V; 10 units @ 230 V
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Power and Current: 98 W, 1.4 A @ 120 V, 60 Hz 95 W, 0.8 A @ 230 V, 50 Hz
- Gobo Size: 24 mm outside, 20 mm image, 1.1 mm max thickness
- Weight: 12.6 lb (5.7 kg)
- Size: 8.3 x 9.1 x 13.2 in (211 x 232 x 337 mm)
- Approvals: CE
- Series: Intimidator
- Primary Use: DJ/Mobile, Bands/Stages, Events, Clubs, Party
- Optional Controllers: IRC-6
- Prism: 3-facet round, static

What's Included

- Power cord
- Hanging bracket with mounting hardware
- Warranty card
- Quick Reference Guide