




Intimidator Spot 360

Intimidator Spot 360 is a 100 W LED packed with mobile event lighting power. Dual rotating prisms are on board to split the beam and cover a larger area with Intimidator Spot 360's impressive visuals. Throw light even farther by decreasing the beam angle 5° using the manual zoom. Motorized focus gives you the ability to create sharp gobo patterns from almost any distance and Totem mode lets you keep the beams forward. Intimidator Spot 360 lets you set, save, and recall 1 scene manually, directly from the full-color LCD display. Creating amazing light shows is easy with wireless non-DMX control using the optional [JRC-6](#) remote. Intimidator Spot 360 uses powerCON®-compatible power input/output connections for power linking. A handy ¼-turn hanging bracket allows for single or dual clamp mounting options and Intimidator Spot 360 fits best in the [CHS-360](#) VIP carry bag or the [Intimidator Road Case S35X](#) flight case. This light is suitable for every event with either black or white housing.



Highlights

- Feature-packed moving head fitted with a 100 W LED designed for mobile performances
- Dual rotating prisms split the beam for great effects and cover a larger area
- Throw light farther by decreasing the beam angle 5° using the manual zoom
- Unique ¼-turn hanging bracket allows for single or dual clamp mounting options
- Project crisp gobos from nearly any distance with the motorized focus
- Beams always remain on the dance floor using the built-in, innovative Totem mode
- Set, save, and recall 1 scene manually, directly from the full-color LCD display
- Convenient, wireless non-DMX control using the optional IRC-6 remote
- powerCON®-compatible power input/output connections for power linking
- Suitable for every event with either black or white housing
- Fits best in the [CHS-360](#) VIP carry bag or the [Intimidator Road Case S35X](#) flight case

Specifications

- DMX Channels: 8 or 14
- DMX Connectors: 3-pin XLR
- Pan and Tilt: 540°/270°
- Pan and Tilt Ranges: 540°, 360°, 180° pan/270°, 180°, 90° tilt
- Colors: 8 + white, split colors, continuous scroll at variable speeds
- Gobos: 7 + open (6 metal + 1 glass), rotating, interchangeable, indexing, slot-n-lock, continuous scroll at variable speeds
- Light Source: 1 LED (white) 100 W, (3.2 A), 50,000 hours life expectancy
- Strobe Rate: 0 to 20 Hz
- Illuminance: (12°): 35,010 lux @ 2 m
(17°): 19,710 lux @ 2 m
(12°): 5,470 lux @ 5 m
3,097 lux @ 5 m
- Power Linking: 5 units @ 120 V; 9 units @ 230 V
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Power and Current: 330 W, 2.8 A @ 120 V, 60 Hz
345 W, 1.5 A @ 230 V, 50 Hz
- Gobo Size: 24 mm outside, 20 mm image, 1.1 mm max thickness
Prism (1): 3-facet round, bidirectional rotation at variable speeds
Prism (2): 5-facet linear, bidirectional rotation at variable speeds
- Zoom Angle: (manual): 12° to 17°
- Weight: 25 lb (11.4 kg)
- Size: 16.65 x 12.68 x 11.69 in (423 x 322 x 297)
- Approvals: CE, MET
- Optional Controllers: [IRC-6](#)

What's Included

- Intimidator Spot 360 IRC
- Power cord
- Hanging bracket with mounting hardware