



# Intimidator Spot 375Z IRC

Intimidator Spot 375Z IRC is an exceptionally bright, 150 W LED moving head spot designed for large events. It features motorized zoom for short-throw or long-throw applications and dual rotating prisms split the beam for great effects and to cover a larger area. The motorized focus ensures crisp projections at almost any distance and the built-in Totem mode keeps the beams exactly where you want them. Intimidator Spot 375Z IRC includes built-in, automated and sound-activated programs or it can be controlled in DMX or Master/Slave mode. The powerCON®-compatible power input/output connections for power linking are also onboard. White housing not available in European Markets.



# Highlights

- Exceptionally bright, 150 W LED moving head spot designed for large events
- Motorized zoom for short-throw or long-throw applications
- Unique ¼-turn hanging bracket allows for single or dual clamp mounting options
- Dual rotating prisms splits the beam for great effects and to cover a larger area
- Beams always remain on the dance floor using the built-in, innovative Totem mode
- Emit crisp projections at almost any distance using the motorized focus
- Works with the IRC-6 for wireless control and triggering
- Activate built-in, automated and sound-activated programs, or control in DMX or Master/Slave mode
- powerCON®-compatible power input/output connections for power linking
- Fits best in the INTIMROADCASES35X flight case

## Specifications

- DMX Channels: 9 or 15
- DMX Connectors: 3-pin XLR
- Pan and Tilt: 540°/270°
- Pan and Tilt Ranges: 540°, 360°, 180° pan/270°, 180°, 90° tilt
- Colors: 7 + white, split colors, continuous scroll at variable speeds
- Gobos: 7 + open (6 aluminum + 1 glass), rotating, interchangeable, indexing, slot-n-lock, continuous scroll at variable speeds
- Light Source: 1 LED (white) 150 W, (12.3 A), 50,000 hours life expectancy
- Strobe Rate: 0 to 20 Hz
- PWM Frequency: 1.8 kHz
- Illuminance: (10°): 38,000 lux @ 2 m  
(23°): 19,850 lux @ 2 m
- Power Linking: 3 units @ 120 V; 5 units @ 230 V
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Power and Current: 277 W, 2.5 A @ 120 V, 60 Hz  
268 W, 1.3 A @ 230 V, 50 Hz  
(10°) 4,180 lux @ 8 m (23°) 2,523 lux @ 5 m
- Gobo Size: 24 mm outside, 20 mm image, 1 mm max thickness
- Zoom Angle: (motorized): 10° to 23°
- Weight: 27.2 lb (12.4 kg)
- Size: 8.6 x 12.7 x 18.3 in (220 x 322 x 466 mm)
- Approvals: CE, MET
- Optional Controllers: IRC - 6
- Prism: (1): 6-facet round, bidirectional rotation at variable speeds
- Prism: (2): 5-facet linear, bidirectional rotation at variable speeds

## What's Included

- Intimidator Spot 375Z IRC
- Power cord
- Hanging bracket with mounting hardware
- Warranty card
- Quick Reference Guide