



LED Pinspot 2

The LED Pinspot 2 includes two front focal lens options to produce hard-edge beams for a variety of applications. The LED Pinspot 2 is extremely lightweight, at less than one pound, and is powered by a 3W white LED. The auto-switching power supply allows the fixture to adapt to the voltage provided, ranging from 100V to 240V.



Highlights

- Compact and lightweight pinspot fitted with a high-power (3 W) LED to emit a hard-edged, beam for a variety of applications
- Change the color with the included 4-pack of gels
- Alter the beam angle using with 2 front focal lens options
- Fits best in the CHS-40 VIP Gear Bag

Specifications

- Light Source: 1 LED (white) 3 W (700 mA), 50,000 hours life expectancy
- Beam Angle: 6° (installed), 9° (included)
- Illuminance: (6°): 4,120 lux @ 2 m
(9°): 1,335 lux @ 2 m
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Power and Current: 4 W, 0.1 A @ 120 VAC, 60 Hz
4 W, 0.1 A @ 230 VAC, 50 Hz
- Weight: 0.9 lb (0.4 kg)
- Dimensions: 7.6 x 4.2 x 5.9 in (193 x 105 x 148 mm)
- Approvals: CE

What's Included

- 3W LED
- 4 Pack of Gels