



## Obey 4 D-Fi 2.4

The Obey 4 D-Fi 2.4 is a compact, DMX controller with a built-in wireless D-Fi transmitter for controlling LED wash or spot lights "on the fly" without using cables. The Obey 4 D-Fi 2.4 works with any D-Fi compatible product and controls up to 4 different types of lights "on the fly". The Obey 4 D-Fi 2.4 has built-in color presets, auto programs, and chases so you can create an eye-catching light show easily and adjust the speed, or use sound activation mode to make your light show change with the music. The Obey 4 D-Fi 2.4 is designed to work with the CHAUVET DJ Freedom Par lights, but can be used with any four-channel LED light.



# Highlights

- Compact, easy-to-use wireless DMX controller designed for LED fixtures with up to 4 channels
- Built-in DIP switches for manual or auto channel selection
- Send wireless DMX signals across the room using the built-in D-Fi 2.4 GHz transmitter
- Controls an unlimited number of Freedom fixtures
- Compatible with all D-Fi systems operating on 2.4 GHz
- Achieve maximum control during playback with the ability to control up to 4 separate fixture addresses
- Allows each fixture to be in different playback modes simultaneously
- Multiple playback options include: manual RGBW/RGBA, automated and sound-activated mode
- Playback modes:
  - Preset: 9 built-in colors
  - Chases: manually trigger automated programs
  - Color macro: manually scroll through the color spectrum
  - RGB fade: automatically scroll through the color spectrum
  - RGB fade delay: automatically scroll through the color spectrum with a small delay to each fixture
  - Auto: randomly selects different colors for each fixture
- Easily adjust strobe and fade effects, audio sensitivity and fade times for all playback modes

## Specifications

- DMX Channels: 16
- DMX Connectors: 3-pin XLR
- Max Unobstructed Distance: 656 ft (200 m)
- Antenna Connection: RP-SMA
- Input Voltage: 9 VDC, 500 mA (external power supply: 100 to 240 VAC, 50/60 Hz)
- Weight: 3 lb (1.4 kg)
- Size: 12.8 x 5.5 x 2.1 in (325 x 140 x 52 mm)
- Approvals: CE
- Max Unobstructed Distance: 656 ft (200 m)
- RF Output: 18.5 dBm

## What's Included

- External power supply
- Quick Reference Guide
- Warranty card