



## PiXPar 12

Great for use as a standard PAR with the additional eye candy of pixel mapping effects, PiXPar 12 is a must-have fixture for mobile DJs or club installers looking for high-impact visuals on a budget. This compact, pixel mapping PAR can-style wash light is equipped with built-in, eye catching effect macros. Powered by 12 individually controllable tri-colored LEDs to create elaborate animations and video effects. Super-smooth LED fading and flicker-free output make it an ideal fixture for events being videotaped.



# Highlights

- Compact, pixel mapping Par with built-in, eye-catching effect macros
- Create amazing animations and video effects with individual LED control
- Convenient access to built-in automated programs with or without DMX
- Easily generate complex looks with ShowXpress™ Pixels
- Flicker-free video operation suitable for on-camera use
- Includes multiple DMX personalities for a wide variety of programming styles
- Achieve smooth LED fading with built-in dimming curves that simulate existing lighting
- Ideal for quiet installations due to silent operation and no moving parts
- Ensure a secure power cord with the locking IEC power input (US/UK version only)
- Increase versatility with user-configurable settings
- Save time running cables and extension cords by power linking multiple units
- Easily access built-in automated programs via master/slave or DMX mode
- Sound-activated programs dance to the beat of the music
- Fits best in the CHS-30 VIP Gear Bag

## Specifications

- DMX Channels: 3, 9, 12 or 36
- DMX Connectors: 3- and 5-pin XLR
- Light Source: 12 LEDs (tri-color RGB) 3 W (1,050 mA), 50,000 hours life expectancy
- Strobe Rate: 0 to 30 Hz
- Beam Angle: 20°
- Field Angle: 34°
- Illuminance: 3,091 lux @ 2 m
- Power Linking: 10 units @ 120 V; 18 units @ 230 V
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Power and Current: 92 W, 0.8 A @ 120 V, 60 Hz 96 W, 0.4 A @ 230 V, 50 Hz
- Weight: 6.9 lb (3.1 kg)
- Size: 10.7 x 10.2 x 3.5 in (271 x 260 x 88 mm)
- Approvals: CE, MET