



SlimPAR 38

It's an LED PAR 38 with a slim casing—only 2.5 inches thick—that can go almost anywhere. Boasting 75 red, green and blue LEDs, the fixture offers 3- or 7-channel of DMX control. Or you can use its built-in automated and sound-activated programs and variable speed-pulse effect for use on the fly. It also offers static colors and RGB color mixing with or without DMX and built-in power linking for quick set up and break down.



Highlights

- LED Par designed for any application in need of a compact wash light
- Low-profile fixture fits most places other lights cannot
- Ideal for quiet applications due to silent operation and no moving parts
- Convenient access to RGB color mixing and static colors without DMX
- Trigger eye-catching effects with built-in automated programs via Master/Slave or DMX mode
- Increase standalone versatility with multiple user-configurable settings
- Achieve flicker-free video operation with high-frequency LED dimming
- Save time running cables and extension cords by power linking multiple units
- Easily transports in the optional CHS-SP4 VIP Gear Bag
- Fits best in the CHS-SP4 VIP Gear Bag
- Compact design easily fits inside sticks of TRUSST®

Specifications

- DMX Channels: 3 or 7
- DMX Connectors: 3-pin XLR
- Light Source: 75 LEDs (25 red, 25 green, 25 blue) 0.25 W (20 mA), 100,000 hours life expectancy
- PWM Frequency: 1,200 Hz
- Beam Angle: 14°
- Field Angle: 23°
- Illuminance: 531 lux @ 2 m
- Power Linking: 50 units @ 120 V; 100 units @ 230 V
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Power and Current: 18 W, 0.2 A @ 120 V, 60 Hz 20 W, 0.1 A @ 230 V, 50 Hz
- Weight: 1.8 lb (0.8 kg)
- Size: 7.3 x 8.1 x 2.5 in (185 x 206 x 64 mm)
- Approvals: CE, MET

What's Included

- External power cord
- Hanging bracket with mounting hardware
- Quick Reference Guide
- Warranty card