



## SlimPAR Pro Pix

Wash and effect lighting reaches new heights of dynamic power and high-end, rugged features with SlimPAR Pro Pix. This powerful par is a hex-color (RGBAW +UV) wash light protected by a road-ready diecast aluminum housing ready to take on the world. SlimPAR Pro Pix has an RGB outer ring which can be independently controlled to thrill viewers. Create amazing animations and video effects with pixel control of the RGB LEDs. SlimPAR Pro Pix boasts flicker-free video operation making it a great wash light for on-camera use and it's ideal for quiet installations because it has no moving parts giving it silent operation.

powerCON®-compatible power input/output connections for power linking are on board and SlimPAR Pro Pix has [D-Fi USB](#) compatibility for wireless master/slave or DMX control and you can easily control static colors and automated programs with the optional [IRC-6 remote](#).



# Highlights

- Hex-color wash light in diecast aluminum housing ready to take on the world
- Create amazing animations and video effects with pixel control (RGB only)
- Independent control of a separate RGB outer ring to dazzle viewers
- Flicker-free video operation suitable for on-camera use
- Ideal for quiet installations due to silent operation and no moving parts
- powerCON®-compatible power input/output connections for power linking
- D-Fi USB compatibility for wireless master/slave or DMX control
- Easily control static colors and automated programs with the optional IRC-6 remote
- Save time running cables and extension cords by power linking multiple units
- Fits best in the CHS-40 VIP gear bag

## Specifications

- DMX Channels: 12, 26, or 48
- DMX Connectors: 3- and 5-pin XLR
- Light Source: 12 LEDs (hex-color RGBAW + UV) 10 W, (2.1 A), 50,000 hours life expectancy (ring); 57 LEDs (RGB) 11 W, (2.2 A), 50,000 hours life expectancy
- Strobe Rate: 0 to 20 Hz
- Beam Angle: 25°
- Field Angle: 39°
- Illuminance: 3,246 lux @ 2 m  
519 lux @ 5 m
- Power Linking: 6 units @ 120 V; 11 units @ 230 V
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Power and Current: 93 W, 1.3 A @ 120 V, 60 Hz  
96 W, 0.7 A @ 230 V, 50 Hz
- Weight: 9.8 lb (4.5 kg)
- Size: 11.4 x 4.3 x 12.3 in (290 x 110 x 313 mm)
- Approvals: CE, MET
- Optional Controllers: IRC, D-Fi USB

## What's Included

- SlimPAR Pro Pix
- Power cord
- Quick Reference Guide