



SlimPAR Pro QZ12 USB

SlimPAR Pro QZ12 USB is a [D-Fi USB](#) compatible wash light with motorized zoom and quad-color (RGBA) LEDs designed for mobile lighting entertainers. A built-in gel frame holder and 7½-inch accessory slot to hold optional barn doors are onboard. Flexible control options are possible with 3- and 5-pin DMX connectors and PowerCON®-compatible power input/output connections provide sturdy and secure power linking. SlimPAR Pro QZ12 USB has built-in dimming curves to simulate halogen filaments. High-frequency LED dimming give flicker-free output ideal for video work and fanless design means 100% silent operation.



Highlights

- Robust wash light with motorized zoom designed for mobile lighting professionals
- Built-in gel frame holder and 7½-inch accessory slot to hold barn doors
- powerCON®-compatible power input/output connections for power linking
- Fanless design ensures 100% silent operation
- Flexible control options with onboard 3- and 5-pin DMX connectors
- Flicker-free on video due to the high-frequency LED dimming
- D-Fi USB compatibility for wireless master/slave or DMX control
- Built-in dimming curves simulate halogen filaments
- Fits best in the [CHS-40](#) VIP gear bag

Specifications

- DMX Channels: 5, 6 or 11
- DMX Connectors: 3- and 5-pin XLR
- Light Source: 12 LEDs (quad-color RGBA) 10 W (2.7 A), 50,000 hours life expectancy
- Strobe Rate: 0 to 29 Hz
- PWM Frequency: 1,200 Hz
- Illuminance: (10°): 16,070 lux @ 2 m
(50°): 1,216 lux @ 2 m
(10°): 2,352 lux @ 5 m
(50°): 210 lux @ 5 m
- Power Linking: 9 units @ 120 V; 17 units @ 230 V
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Power and Current: 100 W, 0.8 A @ 120 V, 60 Hz
112 W, 0.4 A @ 230 V, 50 Hz
- Zoom Angle: (beam to field): 10° to 50°
- Weight: 10.2 lbs (4.6 kg)
- Size: 9.2 x 10.6 x 12.5 in (234 x 269 x 318 mm)
- Approvals: CE, MET, RoHS
- Optional Controllers: [D-Fi USB](#)

What's Included

- SlimPAR Pro QZ12 USB
- Power cord
- Gel Frame
- Hanging bracket with mounting hardware