



SlimPAR Pro VW

It's a variable white fixture featuring 36 warm and cool white LEDs. This is particularly useful when matching the color temperature of existing lighting or achieving a specific temperature for video use.



Highlights

- Low-profile, variable white LED Par designed for any application in need of adjustable color temperatures
- Match existing lighting or tune to the perfect temperature for video using variable color temperature
- Ideal for quiet applications due to silent operation and no moving parts
- Flicker-free operation suitable for on-camera use
- Achieve smooth LED fading with built-in dimming curves that simulate halogen filaments
- Ensure a secure power cord with the locking IEC power input (US only)
- Increase stand-alone versatility with multiple user-configurable settings
- Save time running cables and extension cords by power linking multiple units
- Trigger eye-catching effects with built-in automated programs via Master/Slave or DMX mode
- Emit a more concentrated beam for longer-throw applications using the optional narrow-angle lenses
- Fits best in the CHS-30 VIP Gear Bag

Specifications

- DMX Channels: 2, 3, or 7
- DMX Connectors: 3-pin XLR
- Light Source: 36 LEDs (18 cool white, 18 warm white) 1 W (350 mA), 50,000 hours life expectancy
- PWM Frequency: 1,200 Hz
- Beam Angle: 21°
- Illuminance: 2,930 lux @ 2 m
- Power Linking: 11 units @ 120 V; 18 units @ 230 V
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Power and Current: 83 W, 0.6 A @ 120 V, 60 Hz 83 W, 0.4 A @ 230 V, 50 Hz
- Weight: 6.3 lb (2.8 kg)
- Size: 3.4 x 10.1 x 11.2 in (87 x 256 x 285 mm)
- Approvals: CE, MET

What's Included

- External power cord
- Gel frame holder
- Hanging bracket with mounting hardware
- Quick Reference Guide
- Warranty card