



## SlimPAR QUV12 USB

SlimPAR QUV 12 USB is a low-profile, high-output, quadcolor (RGB+UV) LED washlight that is D-Fi USB compatible to allow wireless master/slave or DMX control. Punchy UV LEDs generate a broad spectrum of intense colors. Static colors and automated programs can be controlled easily with the optional [IRC-6](#) remote. Multiple user-configurable settings are available to increase standalone versatility. Multiple units can be power linked to save time running cables and extension cords. With no moving parts, this silent, flicker-free fixture is ideal for on camera use. Compact, it can be used as a truss warmer. Fits best in the [CHS-30 VIP Gear Bag](#).



# Highlights

- Low-profile, high-output quad-color (RGB+UV) LED Par
- D-Fi USB compatibility for wireless Master/Slave or DMX control
- Generate a broad spectrum of colors and achieve intense colors with punchy UV LEDs
- Flicker-free operation suitable for on-camera use
- Easily control static colors and automated programs with the optional IRC-6 remote
- Ideal for quiet applications due to silent operation and no moving parts
- Increase standalone versatility with multiple user-configurable settings
- Save time running cables and extension cords by power linking multiple units
- Fits best in the CHS-30 VIP Gear Bag
- Compact design easily fits inside sticks of TRUSST®

## Specifications

- DMX Channels: 4 or 9
- DMX Connectors: 3-pin XLR
- Light Source: 12 LEDs quad-color (RGB + UV) 4 W (1.4 A), 50,000 hours life expectancy
- Strobe Rate: 0 to 18 Hz
- PWM Frequency: 1.2 kHz
- Beam Angle: 15°
- Field Angle: 27°
- Illuminance: 2,377 lux @ 2 m
- Power Linking: 13 units @ 120 V; 23 units @ 230 V
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Power and Current: 44 W, 0.6 A @ 120 V, 60 Hz 41 W, 0.3 A @ 230 V, 50 Hz
- Weight: 4.6 lb (2.1 kg)
- Size: 9.7 x 3.6 x 11.5 in (247 x 92 x 293 mm)
- Approvals: CE
- Optional Controllers: IRC-6, D-Fi USB

## What's Included

- Power cord
- Warranty card
- Quick Reference Guide