

# Material Safety Data Sheet

# U.S. Department of Labor

May be used to comply with

OSHA's Hazard Communication Standard,  
29 CFR 1910.1200. Standard must be  
consulted for specific requirements.

Occupational Safety and Health  
Administration  
(Non-Mandatory Form)  
Form Approved  
OMB No. 1218-0072

<b>IDENTITY</b> ( <i>As Used on Label and List</i> ) <b>Chauvet Snow Fluid SJU</b>	Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.
---	---

## Section I

Manufactured Exclusively For: Chauvet	24 hour Emergency Telephone Contact Number CHEMTREC Domestic North America: <b>800-424-9300</b> International: <b>703-527-3887</b> (collect calls accepted)
Address ( <i>Number, Street, City, State, and ZIP Code</i> ) 5200 NW 108 <sup>th</sup> Avenue	Telephone Number for Information 954-577-4455
Sunrise, FL 33351	Date Prepared December, 2011
	Signature of Preparer ( <i>optional</i> )

## Section II - Hazard Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity; Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits Recommended
This water based product does not contain any hazardous components.			

## Section III - Physical/Chemical Characteristics

Boiling Point	212°F	Specific Gravity (H <sub>2</sub> O = 1)	1.0
Vapor Pressure (mm Hg.)	N/A	Melting Point	N/A
Vapor Density (AIR = 1)	N/A	Evaporation Rate (Butyl Acetate = 1)	N/A
Solubility in Water Yes			
Appearance and Odor Liquid- bland odor			

## Chauvet Snow Fluid SJU

### Section IV - Fire and Explosion Hazard Data

Flash Point (Method Used) N/A	Flammable Limits	LEL	UEL
Extinguishing Media Use water, alcohol resistant foam, CO <sub>2</sub> or dry chemical.			
Special Fire Fighting Procedures Wear Self-contained breathing apparatus and full protective clothing.			
Unusual Fire and Explosion Hazards None			

### Section V - Reactivity Data

Stability:	Stable	X	
	Unstable		
Incompatibility ( <i>Materials to avoid</i> ) None known			
Hazardous Decomposition or Byproducts None			
Hazardous Polymerization	May Occur		Conditions to Avoid
	Will Not Occur	X	

### Section VI – Health Hazard Data

Route(s) of Entry:

Eyes: Flush with water for at least 15 minutes.	Inhalation: Exhale contaminated air – inhale fresh air.	Skin: Wash with soap and water.	Ingestion: Consult Physician
Health Hazards ( <i>Acute and Chronic</i> ) May cause temporary irritation to the skin.			
Carcinogenicity: Not listed	NTP? Not listed	IARC Monographs? Not listed	OSHA Regulated? Not listed
Signs and Symptoms of Exposure Prolonged or repeated skin contact may cause mild skin irritations.			
Medical Conditions Generally Aggravated by Exposure Same as above.			
Emergency and First Aid Procedures See above.			

**Chauvet Snow Fluid SJU**

**Section VII - Precautions for Safe Handling and Use**

<b>Steps to Be Taken in Case Material is Released or Spilled</b> Recover free liquid, add absorbent to spill area to avoid slippery surface.
<b>Waste Disposal Method</b> Dispose of in accordance with local regulations.
<b>Precautions to Be taken in Handling and Storing</b> Keep containers tightly closed.

**Section VIII – Control Measures**

<b>Respiratory Protection (<i>Specify Type</i>)</b> Normally not needed.		
Ventilation Normally not needed.	Local Exhaust To capture hot fumes.	Special
	Mechanical ( <i>General</i> )	Other
<b>Protective Gloves</b> Normally not needed.		<b>Eye Protection</b> Normally not needed.
<b>Other Protective Clothing or Equipment</b> Oil impervious apron if needed.		
<b>Work/Hygienic Practices</b> Good hygiene practices		

This information is to the best of our knowledge and belief, accurate and reliable as of the date compiled. However, no representation, warranty or guarantee is made as to its accuracy, reliability or completeness. It is the user’s responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information nor do we offer warranty against patent infringement.